

## Siemens

### Системы для получения ультрачистой воды, обратноосмотическое оборудование и системы для получения деионизированной воды

Артикул новый	Артикул старый	Наименование	Цена, Евро, за шт., с НДС
<b>Ion exchanger with quick coupling</b>			
<b>W3T199735</b>	1001	SG-2000-SK, Ion exchanger sin capacity 13 l	<b>784,75</b>
<b>W3T199172</b>	1021	SG-2800-SK, Ion exchanger resin capacity 19 l	<b>935,20</b>
<b>W3T199736</b>	1041	SG-4500-SK, Ion exchanger resin capacity 30 l	<b>1453,95</b>
<b>W3T198029</b>	1061	SG-6200-SK, Ion exchanger resin capacity 40 l	<b>1945,02</b>
<b>W3T199173</b>	1081	SG-7000-SK, Ion exchanger resin capacity 55 l	<b>2431,27</b>
<b>W3T198027</b>	1101	SG-11000-SK, Ion exchanger resin capacity 75 l	<b>2944,01</b>
<b>W3T199789</b>	1121	SG-15000-SK, Ion exchanger resin capacity 100 l	<b>3287,03</b>
<b>Ion exchanger with hose</b>			
<b>W3T199409</b>	10100	SG-2000, Ion exchanger resin capacity 13 l	<b>784,75</b>
<b>W3T198640</b>	10080	SG-2800, Ion exchanger resin capacity 19 l	<b>935,20</b>
<b>W3T198639</b>	10060	SG-4500, Ion exchanger resin capacity 30 l	<b>1453,95</b>
<b>W3T198638</b>	10040	SG-6200, Ion exchanger resin capacity 40 l	<b>1945,02</b>
<b>W3T199061</b>	10022	SG-7000, Ion exchanger resin capacity 55 l	<b>2385,54</b>
<b>W3T197829</b>	10230	SG-11000, Ion exchanger resin capacity 75 l	<b>2887,44</b>
<b>W3T198437</b>	10250	SG-15000, Ion exchanger resin capacity 100 l	<b>3287,03</b>
<b>LaboStar™</b>			
<b>W3T199558</b>	2206	LaboStar™ DI 2 Ultrapure water system	<b>4288,43</b>
<b>W3T197634</b>	2207	LaboStar™ UV 2 Ultrapure water system	<b>5218,01</b>

<b>W3T199603</b>	2217	LaboStar™ UV 4 Ultrapure water system	<b>5557,82</b>
<b>LaboStar™ for wall mounting</b>			
<b>W3T199267</b>	2207-W	LaboStar™ UV 2 Ultrapure water system for wall mounting	<b>5425,83</b>
<b>LaboStar™ TWF (Tap water feed)</b>			
<b>W3T197642</b>	2231	LaboStar™ TWF 7	<b>5345,79</b>
<b>W3T199771</b>	2232	LaboStar™ TWF UV 7	<b>5890,62</b>
<b>LaboStar™ TWF wall mounting</b>			
<b>W3T207323</b>	2231-W	LaboStar™ TWF 7 for wall mounting	<b>5552,21</b>
<b>W3T197641</b>	2232-W	LaboStar™ TWF UV 7 for wall mounting	<b>6098,44</b>
<b>Ultra pure water systems Ultra Clear™ and Ultra Clear™ Integra</b>			
<b>W3T199551</b>	2001	Ultra Clear™	<b>5936,96</b>
<b>W3T199154</b>	2002	Ultra Clear™ UV	<b>6873,56</b>
<b>W3T198275</b>	2004	Ultra Clear™ UV UF	<b>8158,40</b>
<b>Ultra pure water systems Ultra Clear™ and Ultra Clear™ Integra with TOC-Monitoring</b>			
<b>W3T197571</b>	2002-TM	Ultra Clear™ UV TM	<b>7921,09</b>
<b>W3T199305</b>	2004-TM	Ultra Clear™ UV UF TM	<b>8922,29</b>
<b>W3T199151</b>	2006-TM	Ultra Clear™ Integra UV TM	<b>8484,18</b>
<b>W3T197652</b>	2008-TM	Ultra Clear™ Integra UV UF TM	<b>9663,70</b>
<b>Ultra Clear™ TWF (Potable Water Feed) with 30 l tank incl. CO2-trap with Vent-Filter &amp; UV-lamp</b>			
<b>W3T197649</b>	2001-D	Ultra Clear™ TWF	<b>8701,83</b>
<b>W3T199719</b>	2002-D	Ultra Clear™ TWF UV	<b>9527,50</b>
<b>W3T199941</b>	2002-TM-D	Ultra Clear™ TWF UV TM (with TOC-Monitor)	<b>10579,24</b>
<b>W3T199741</b>	2004-D	Ultra Clear™ TWF UV UF	<b>11258,88</b>
<b>W3T199850</b>	2004-TM-D	Ultra Clear™ TWF UV UF TM (mit TOC-Monitor)	<b>11886,55</b>
<b>Ultra Clear™ TWF (Potable Water Feed) with 60 l tank incl. CO2-trap with Vent-Filter &amp; UV lamp</b>			
<b>W3T198240</b>	2001-D/60	Ultra Clear™ TWF	<b>8915,27</b>
<b>W3T199149</b>	2002-D/60	Ultra Clear™ TWF UV	<b>9740,94</b>
<b>W3T199298</b>	2002-TM-D/60	Ultra Clear™ TWF UV TM (with TOC-Monitor)	<b>10792,68</b>
<b>W3T199162</b>	2004-D/60	Ultra Clear™ TWF UV UF	<b>11472,31</b>
<b>W3T197659</b>	2004-TM-D/60	Ultra Clear™ TWF UV UF TM (with TOC-Monitor)	<b>12099,99</b>
<b>Ultra Clear™ TWF EDI (Potable Water Feed) with 30 l Tank incl. CO2-trap with Vent-Filter &amp; UV lamp</b>			
<b>W3T197584</b>	2002-TM-E	Ultra Clear™ TWF EDI UV TM (with TOC-Monitor)	<b>14890,14</b>

<b>W3T199163</b>	2004-TM-E	Ultra Clear™ TWF EDI UV UF TM (with TOC-Monitor)	<b>15899,76</b>
<b>Ultra Clear™ TWF EDI with 60 l Tank incl. CO2 -trap with Vent-Filter &amp; UV lamp</b>			
<b>W3T198277</b>	2002-TM-E/60	Ultra Clear™ TWF EDI UV TM (with TOC-Monitor)	<b>15103,58</b>
<b>W3T232220</b>	2002-TM-E/60-20	Ultra Clear™ TWF EDI UV TM 20 l/hr (mit TOC-Monitor)	<b>15749,51</b>
<b>W3T199946</b>	2004-TM-E/60	Ultra Clear™ TWF EDI UV UF TM (with TOC-Monitor)	<b>16113,20</b>
<b>Ultra Clear™ Compact RO with 30 l Tank</b>			
<b>W3T197556</b>	3803-01	Ultra Clear™ Compact RO 15 l/h	<b>4499,06</b>
<b>Ultra Clear™ Compact RO with 30 l Tank und DI</b>			
<b>W3T198852</b>	3813-01	Ultra Clear™ Compact RO DI 15 l/h	<b>4768,66</b>
<b>Reverse-osmosis-Systeme Type Ultra Clear™ RO</b>			
<b>W3T199828</b>	3001	Ultra Clear™ RO 20	<b>6599,74</b>
<b>W3T198860</b>	3002	Ultra Clear™ RO 40	<b>7259,71</b>
<b>W3T199978</b>	3003	Ultra Clear™ RO 60	<b>7498,43</b>
<b>W3T198158</b>	3005	Ultra Clear™ RO 100	<b>8168,23</b>
<b>Reverse-osmosis-Systeme Type Ultra Clear™ RO...DI with Deionization Cartridge</b>			
<b>W3T198148</b>	3000-DI	Ultra Clear™ RO DI 10	<b>5883,60</b>
<b>W3T199189</b>	3001-DI	Ultra Clear™ RO DI 20	<b>7231,63</b>
<b>Ultra Clear™ RO EDI, RO/EDI-combinationen</b>			
<b>W3T199897</b>	3402	Ultra Clear™ RO EDI 10	<b>9710,04</b>
<b>W3T198136</b>	3404	Ultra Clear™ RO EDI 40	<b>12355,56</b>
<b>Ultra Clear™ RO EDI, RO/EDI-combinationen with bipolar membranes</b>			
<b>W3T198868</b>	3406	Ultra Clear™ RO EDI 55 bipolar	<b>13443,81</b>
<b>Ultra Clear™ RO-tank 30 l complete drainable incl. level sensor</b>			
<b>W3T199202</b>	3315-01	Ultra Clear™ RO-Tank 30 l with level sensor 4-20 mA	<b>1133,19</b>
<b>Ultra Clear™ RO-tank 60 l complete drainable incl. level sensor</b>			
<b>W3T199891</b>	3311-01	Ultra Clear™ RO-Tank 60 l with level sensor 4-20 mA	<b>1276,42</b>
<b>Ultra Clear™ RO-tank 80 l complete drainable incl. level sensor</b>			
<b>W3T197510</b>	3301-01	Ultra Clear™ RO-Tank 80 l with pump 8 l/min 4-20 mA	<b>4020,22</b>
<b>W3T197526</b>	3301-03	Ultra Clear™ RO-Tank 80 l with pump 1,2 l/min 4-20 mA	<b>3207,19</b>
<b>Protegra CS™ Reverse-osmosis system, cabinet version</b>			
<b>W3T199617</b>	3011	Protegra CS™ RO 200	<b>13792,05</b>
<b>W3T197521</b>	3014	Protegra CS™ RO 500	<b>20553,28</b>
<b>W3T199222</b>	3015	Protegra CS™ RO 750	<b>21978,54</b>
<b>W3T199821</b>	3016	Protegra CS™ RO 1000	<b>23403,80</b>
<b>Reverse-osmosis systems, frame design version, 4" elements</b>			
<b>W3T198159</b>	3118	Protegra CS™ 1500	<b>32069,12</b>

<b>W3T198160</b>	3130	Protegra CS™ 3000	<b>41617,68</b>
<b>Protegra CS™ RO EDI RO / EDI combinations</b>			
<b>W3T200007</b>	3051	Protegra CS™ RO EDI 120 (El-Ion® 1-stufig)	<b>19029,72</b>
<b>W3T199823</b>	3061	Protegra CS™ RO EDI 260 (El-Ion® 1-stufig)	<b>22931,99</b>
<b>W3T200009</b>	3071	Protegra CS™ RO EDI 500 (El-Ion® 1-stufig)	<b>34911,22</b>
<b>W3T198152</b>	3076	Protegra CS™ RO EDI 750 (El-Ion® 1-stufig)	<b>38625,33</b>
<b>W3T199822</b>	3050	Protegra CS™ RO EDI 120 (El-Ion® 2-stufig)	<b>21159,89</b>
<b>W3T199619</b>	3060	Protegra CS™ RO EDI 260 (El-Ion® 2-stufig)	<b>25163,26</b>
<b>W3T200008</b>	3070	Protegra CS™ RO EDI 500 (El-Ion® 2-stufig)	<b>39036,76</b>
<b>W3T197525</b>	3075	Protegra CS™ RO EDI 750 (El-Ion® 2-stufig)	<b>41985,58</b>
<b>Storage tanks incl. level sensor 4-20 mA</b>			
<b>W3T199977</b>	3302-01	Storage tank 100 l, 450x810 mm 4-20 mA	<b>1422,45</b>
<b>W3T199996</b>	3303-01	Storage tank 200 l, 550x1040 mm 4-20 mA	<b>1509,52</b>
<b>W3T197508</b>	3304-01	Storage tank 300 l, 650x1080 mm 4-20 mA	<b>1620,45</b>
<b>W3T198133</b>	3305-01	Storage tank 500 l, 770x1230 mm 4-20 mA	<b>2125,96</b>
<b>W3T198836</b>	3307-01	Storage tank 750 l, 720x720x1700 mm 4-20 mA	<b>2266,38</b>
<b>W3T198753</b>	3308-01	Storage tank 1000 l, 780x780x1940 mm 4-20 mA	<b>2551,43</b>
<b>W3T199591</b>	3321-01	Storage tank 1650 l, L 2085 x W 720 x H 1400 mm 4-20 mA	<b>3191,75</b>
<b>W3T199890</b>	3322-01	Storage tank 2000 l, L 2180 x W 720 x H 1700 mm 4-20 mA	<b>3539,99</b>
<b>W3T199834</b>	3324-01	Storage tank 3000 l, L 2230 x W 1000 x H 1650 mm 4-20 mA	<b>5021,42</b>
<b>UV Disinfection, Flow reactors</b>			
<b>W3T199855</b>	2511	UV 09, UV Disinfection system 16 Watt, 300 - 900 l/h	<b>1755,25</b>
<b>W3T199588</b>	2521	UV 14, UV Disinfection system 25 Watt 1400 l/h	<b>2267,78</b>
<b>W3T199987</b>	2536	UV 33, UV Disinfection system 36 Watt 3300 l/h	<b>2496,67</b>
<b>UV disinfection for TOC-reduction</b>			
<b>W3T199989</b>	2561	UV-Compact 06 TOC 600 l/h	<b>2329,57</b>
<b>W3T199590</b>	2562	UV-Compact 11 TOC 1100 l/h	<b>2799,97</b>
<b>W3T199746</b>	2563	UV-Compact 15 TOC 1500 l/h	<b>2965,67</b>

<b>W3T199612</b>	2564	UV-Compact 19 TOC 1900 l/h	<b>3478,20</b>
<b>W3T197569</b>	2565	UV-Compact 38 TOC 3800 l/h	<b>5021,42</b>
<b>W3T199217</b>	2566	UV-Compact 63 TOC 6300 l/h	<b>5187,11</b>
<b>Double softener</b>			
<b>W3T197536</b>	4404	DUO-10, Duo Softener 830 l*	<b>1708,11</b>
<b>W3T197912</b>	4405	DUO-10 LF, Duo Softener 830 l*	<b>1708,11</b>
<b>W3T198539</b>	4406	DUO-20, Duo Softener 830 l*	<b>2382,23</b>
<b>W3T198140</b>	4407	DUO-20 LF, Duo Softener 830 l*	<b>2382,23</b>
<b>W3T198803</b>	4408	DUO- 35, Duo Softener 1480 l*	<b>2581,72</b>
<b>W3T197538</b>	4420	VM 60, Duo softener 4400 l*	<b>2654,74</b>
<b>W3T198842</b>	4430	VM 100, Duo softener 9100 l*	<b>3147,61</b>
<b>W3T198540</b>	4440	VM 200, Duo softener 16900 l*	<b>3520,53</b>
<b>W3T199867</b>	4442	VM 300, Duo softener 21576 l*	<b>5971,86</b>
<b>Single Softener (Capacity at 10°dH in liter)</b>			
<b>W3T197540</b>	4455	C 24, Single system, cabinet version 2400 l*	<b>1172,21</b>
<b>W3T198804</b>	4460	C 40, Single system, cabinet version 3500 l*	<b>1178,73</b>
<b>W3T197914</b>	4470	C 60, Single system, cabinet version 6000 l*	<b>1217,84</b>
<b>W3T198843</b>	4480	C 100, Single system, cabinet version 10000 l*	<b>1271,30</b>